



07 Light Medium Duty - Modular Stem Series - 350LB

- Bright Zinc plated as standard, Black Electrocoat and Nickel are available as options
- Featuring broad selections of different mounting stems with 1-1/4" wide wheels
- Double ball raceway swivel
- 3/8" Axle and nut
- NSF Listed

07UN50GLA3ZZ-0H0000



07PP50GI44ZZ-0K0000



07EU50GO55ZZ-0C0000



07PO30GB82ZZ-0T000X



Stem Code	Size	Stem Type	Modular Part #	
ZZ	1/2" diameter	Hollow Kingpin		
E1	Additional Adjustable Height 1.750" - 2.375"		07STAE1	
E2	Additional Adjustable Height 1.875" - 2.500"		07STAE2	
E3	Additional Adjustable Height 3.500" - 4.125"		07STAE3	
E4	Additional Adjustable Height 3.500" - 5.000"		07STAE4	
F1	Additional Adjustable Height 1.750" - 2.375"		07STAF1	
F2	Additional Adjustable Height 1.875" - 2.500"		07STAF2	
F3	Additional Adjustable Height 3.500" - 4.125"		07STAF3	
F4	Additional Adjustable Height 3.500" - 5.000"		07STAF4	
B1	Additional Adjustable Height 1.875" - 3.000"	To fit 1-1/2" I.D. Round Tubing	07STGB1	
92	5/8" x 2-3/16"	Grip Ring Stem	07STG92	
93	13/16" x 2-3/16"		07STG93	
48	0.865" x 2-1/2" dual rings		07STG48	
85	1" x 2-3/16" dual rings		07STG85	
82	1-1/8" x 2-3/16" dual rings		07STG82	
22	1-1/4" x 2-3/16" dual rings		07STG22	
23	1-3/8" x 2-3/16" dual rings		07STG23	
O1	1-1/4" x 4", 7/16" dia. crx drill, 2.5" from bottom	Round	07STRO1	
43	9/16" x 2-15/16", 2 x 5/16" dia. crx drill	Square Stem	07STS43	
51	3/4" x 2", 3 x 1/4" dia. crx drill		07STS51	
55	7/8" x 2", 3 x 5/16" dia. crx drill		07STS55	
56	7/8" x 2", 3 x 5/16" dia. crx drill		07STS56	
41	7/8" x 2-1/4", 5/16" dia. crx drill		07STO41	
Q6	1" x 2-1/2", 5/16" crx drill		07STSQ6	
Q1	1-1/4" x 4" 7/16" dia. crx drill		07STSQ1	
33	7/16" - 14 x 1-1/2"	Threaded	07STT33	
79	7/16" - 14 x 2-1/4"		07STT79	
C8	1/2" - 13 x 3-1/8"		07STTC8	
C1	1/2" - 13 x 4"		07STTC1	
80	5/8" - 11 x 1"		07STT80	
81	5/8" - 11 x 1-3/4"		07STT81	
C2	5/8" - 11 x 4"		07STTC2	
87	3/4" - 10 x 1-3/4"		07STT87	
84	3/4" - 10 x 4"		07STT84	
C3	3/4" - 10 x 6"		07STTC3	
S5	3/4" - 10 x 10"		07STTS5	
M1	M10 - 1.5 x 1-1/2"		Metric Threaded	07STTM10
M3	M12 - 1.75 x 1-3/4"			07STTM12-134
M6	M16 - 2 x 1-1/2"			07STTM16-112
M7	M20 - 2.5 x 1-3/4"	07STTM20-134		

07 SERIES • CAPACITY 350

Stems

07STT80	07STT33	07STTM16-112	07STTM10	07STTM20-134	07STT81	07STTS5	
07STT87	07STT79	07STTC8	07STT84	07STTC1	07STTC2		
07STTC3	07STS56	07STS51	07STS55	07STSO41	07STS91		
07STSQ43	07STR01	07STSQ1	07STG93	07STG92	07STG82		
07STG85	07STG23	07STG48	07STAF1	07STAF2	07STAF3		
07STAF4	07STAE1	07STAE2	07STAE3	07STAE4	07STGB1		



Wheel Dia.	Tread Width	Wheel Type	Load Capacity	Bearing Type	Swivel Caster Part #	O.A.H.	Swivel Radius	+ Color	
2-1/2"	1-1/4"	Yoke and axle/nut				07ZZ25GZ82ZZYAN	3-7/16"	2-13/16"	
		Soft Rubber	175	Plain	07SR25GB82**YY				
		Thermo-Pro™	250	Precision	07TP25G+44**YY	B,I			
				Ball	07TP25G+42**YY	B,I			
		Polyolefin	250	Plain	07PO25GB82**YY				
		Poly-Pro™	250	Ball	07PP25G+42**YY	M,W			
		Hard Rubber	250	Plain	07HR25GB82**YY				
Maxrok™	350	Plain	07MA25GB82**YY						
3"	1-1/4"	Yoke and axle/nut				07ZZ30GZ82ZZYAN	4"	2-15/16"	
		Super-Soft™	105	Annular	07SF30GI43**YY				
		Soft Rubber	300	Plain	07SR30GB82**YY				
				Ball	07SR30GB42**YY				
		Blue Ergo™	300	Roller	07BL30GL4R**YY				
		Nomadic™	300	Delrin	07NM30G+5A**YY	I, L			
				Annular	07NM30G+43**YY	I, L			
		Conductive TPR	200	Precision	07CN30GH44**YY				
		Conductive SR	250	Ball	07CT30GB42**YY				
		Thermo-Pro™	210	Precision	07TP30GI44**YY				
					07TP30G+47**YY	T,Y			
				Sleeve	07TP30G+90**YY				
		Element™	300	Annular	07EL30GI43**YY				
		Poly-Pro™	300	Ball	07PP30G+42**YY	K,W			
				Precision	07PP30G+44**YY	A,D, I, K,S			
					07PP30G+47**YY	T,Y			
				Delrin	07PP30G+55**YY	K,P,W			
				Sleeve	07PP30G+90**YY	T,Y			
		Polymadic™	300	Delrin	07PM30GM5A**YY				
				Annular	07PM30GM43**YY				
		Elite™	350	Ball	07ET30GL42**YY				
		Ergo-PU	350	Dual Precision	07EU30GOD0**YY				
		DuraLastomer™	300	Sleeve	07SU30GL90**YY				
		Polyon AL™	350	Annular	07PA30GL43**YY				
		Hard Rubber	300	Ball	07HR30GB42**YY				
				Plain	07HR30GB82**YY				
		GrayRok™	300	Plain	07RK30GI82**YY				
		Polyolefin	250	Plain	07PO30G+82**YY	B,Z			
				Sleeve	07PO30G+90**YY	J,Z			
					Ball	07PO30GZ42**YY			
		H.D. Polyolefin	300	Plain	07HP30G+82**YY	B,E			
		Nylon	300	Sleeve	07NY30GE90**YY				
				Precision	07NY30GE47**YY				
		Phenolic	300	Top Hat	07PH30GB99**YY				
H.T. Phenolic	200	S.S. Top Hat	07HT30GQ97**YY						
BrimStone™	350	S.S. Top Hat	07GN30G+97**YY	B,Q					
Semi-Steel	350	Plain	07SS30GS82**YY						
		Sleeve	07SS30GS90**YY						
Sintered Iron	350	Plain	07SI30GS82**YY						
V-Groove	350	Plain	07VG30GT82**YY						
Maxrok™	350	Plain	07MA30GB82**YY						
Conductive PU	225	Precision	07CU30GH44**YY						
3"	1-3/8"	Neo-Energizer™	300	Ball	07EN50VB42**YY				
				Precision	07EN50VBP2**YY				
Elastomer	350	Precision	07SX50VBP2**YY						
3"	1-1/2"	Phenolic	350	Sleeve	07PH30HB90**YY				
				Roller	07PH30HB03**YZ				
Brimstone™	350	S.S. Top Hats	07GN25G+97**YY	B,Q					



Wheel Dia.	Tread Width	Wheel Type	Load Capacity	Bearing Type	Swivel Caster Part #	O.A.H.	Swivel Radius	+ Color	
3-1/2"	1-1/4"	Yoke and axle/nut				07ZZ35GZ82ZZYAN	4-1/2"	3-3/16"	
		Super-Soft™	110	Annular	07SF35GI43**YY				
		Soft Rubber	300	Plain	07SR35GB82**YY				
		Rubber/Alu	300	Annular	07RA35GI43**YY				
		Nomadic™	300	Delrin	07NM35G+5A**YY	I, L			
				Annular	07NM35GI43**YY				
		Thermo-Pro™	230	Precision	07TP35GI44**YY				
					07TP35G+47**YY	T, Y			
				Sleeve	07TP35G+90**YY				
		Element™	300	Annular	07EL35GI43**YY				
		Poly-Pro™	300	Ball	07PP35G+42**YY	K, P, W			
				Precision	07PP35G+44**YY	A, D, I, S			
					07PP35G+47**YY	T, Y			
				Delrin	07PP35G+55**YY	K, P, W			
				Sleeve	07PP35G+90**YY	T, Y			
		Polymadic™	325	Delrin	07PM35GM5A**YY				
				Annular	07PM35GM43**YY				
		Polygon AL™	350	Annular	07PA35G+43**YY	L, M			
		Disc Wheel	250	Ball	07UN35GLA3**YY				
		Hard Rubber	300	Plain	07HR35GB82**YY				
Polyolefin	350	Plain	07PO35GZ82**YY						
		Sleeve	07PO35GJ90**YY						
Phenolic	350	Top Hat	07PH35GB99**YY						
Semi-Steel	350	Plain	07SS35GS82**YY						
BrimStone™	350	S.S. Top Hat	07GN35GQ97**YY						
4"	1-1/4"	Yoke and axle/nut				07ZZ40GZ82ZZYAN	5"	3-1/2"	
		Super-Soft™	120	Annular	07SF40GI43**YY				
		Soft Rubber	350	Plain	07SR40GB82**YY				
			350	Ball	07SR40GB42**YY				
		Blue Ergo™	350	Roller	07BL40GL4R**YY				
		Rubber/Alu	250	Annular	07RA40GI43**YY				
		Nomadic™	300	Delrin	07NM40G+5A**YY	I, L			
				Annular	07NM40G+43**YY	I, L			
		Conductive	250	Precision	07CN40GH44**YY				
		Thermo-Pro™	250	Precision	07TP40G+44**YY	A, I			
					07TP40G+47**YY	T, Y			
				Sleeve	07TP40G+90**YY	T, Y			
		Element™	320	Annular	07EL40GI43**YY				
		Poly-Pro™	350	Ball	07PP40G+42**YY	K, P, W			
				Precision	07PP40G+44**YY	A, D, I, S			
					07PP40G+47**YY	T, Y			
					07PP40G+55**YY	K, P, W			
				Sleeve	07PP40G+90**YY	T, Y			
		Polymadic™	350	Delrin	07PM40GM5A**YY				
				Annular	07PM40GM43**YY				
		Elite™	350	Ball	07ET40GL42**YY				
		Ergo-PU	350	Dual Precision	07EU40GOD0**YY				
		DuraLastomer™	350	Sleeve	07SU40GL90**YY				
		Polygon AL™	350	Annular	07PA40G+43**YY	L, M			
		Disc Wheel	270	Ball	07UN40GLA3**YY				
		Hard Rubber	350	Plain	07HR40GB82**YY				
				Ball	07HR40GB42**YY				
		Maxrok™	350	Plain	07MA40GI82**YY				
		Polyolefin	350	Plain	07PO40G+82**YY	B, Z			
				Sleeve	07PO40G+90**YY	J, Z			
				Ball	07PO40GZ42**YY				
		H.D. Polyolefin	350	Plain	07HP40G+82**YY	B, E			
		Nylon	350	Precision	07NY40GE47**YY				
				Sleeve	07NY40GE90**YY				
Phenolic	350	Top Hat	07PH40GB99**YY						
H.T. Phenolic	250	S.S. Top Hat	07HT40GQ97**YY						
BrimStone™	350	S.S. Top Hat	07GN40G+97**YY	B, Q					
SteROLLizer™ AL	300	Sleeve	07BF40GC90**YY						
SteROLLizer™ SS	300	Sleeve	07SL40GC90**YY						
Semi-Steel	350	Plain	07SS40GS82**YY						
		Sleeve	07SS40GS90**YY						
Conductive PU	250	Precision	07CU40GH44**YY						



07 SERIES • CAPACITY 350

Wheel Dia.	Tread Width	Wheel Type	Load Capacity	Bearing Type	Swivel Caster Part #	O.A.H.	Swivel Radius	+ Color
4"	1-1/2"	Polygon™	350	Roller	07PU40H+03**YZ	5"	3-1/2"	G,V
		Polygon AL™	350	Roller	07PA40H+03**YZ			N,R
		Polyolefin	350	Roller	07PO40HB03**YZ			
		Phenolic	350	Sleeve	07PH40HB90**YY			
				Roller	07PH40HB03**YZ			
		H.T. Phenolic	350	Sleeve	07HT40HQ90**YY			
				Roller	07HT40HQ03**YZ			
		BrimStone™	350	Sleeve	07GN40H+90**YY			
		BrimStone™	350	Roller	07GN40H+03**YZ			B,Q
		SteROLLizer™ AL	350	SS Precision	07BF40HC61**YY			
SteROLLizer™ SS	350	SS Precision	07SL40HC61**YY					
Epoxy	350	Dual Precision	07OV40H+P4**YZ					
		Sleeve	07OV40H+90**YY	G,Q				
5"	1-1/4"	Yoke and axle/nut			07ZZ50GZ82ZZYAN	6"	4"	
		Super-Soft™	125	Annular	07SF50GI43**YY			
		Soft Rubber	350	Plain	07SR50GB82**YY			
				Ball	07SR50GB42**YY			
		Blue- Ergo™	350	Roller	07BL50GL4R**YY			
		Rubber/Alu	325	Annular	07RA50GI43**YY			
		Nomadic™	325	Delrin	07NM50G+5A**YY			
				Annular	07NM50G+43**YY			I, L
		Conductive	275	Precision	07CN50GH44**YY			
		Thermo-Pro™	300	Precision	07TP50GI44**YY			
				Sleeve	07TP50G+47**YY			T,Y
		Element™	350	Annular	07EL50GI43**YY			
		Poly-Pro™	350	Ball	07PP50G+42**YY			C,K,P,W
				Precision	07PP50G+44**YY			A,D,I,S
					07PP50G+47**YY			T,Y
				Delrin	07PP50G+55**YY			C,K,P,W
				Sleeve	07PP50G+90**YY			T,Y
		Polymadic™	350	Delrin	07PM50GM5A**YY			
				Annular	07PM50GM43**YY			
		Ergo-PU	350	Dual Precision	07EU50GOD0**YY			
		DuraLastomer™	350	Sleeve	07SU50GL90**YY			
		Polygon AL™	350	Annular	07PA50GL43**YY			
		Disc Wheel	300	Ball	07UN50GLA3**YY			
		Hard Rubber	350	Plain	07HR50GB82**YY			
				Ball	07HR50GB42**YY			
		Maxrok™	350	Plain	07RK50GI82**YY			
		Polyolefin	350	Plain	07PO50G+82**YY			B,Z
				Sleeve	07PO50G+90**YY			J,Z
				Ball	07PO50GZ42**YY			
		H.D. Polyolefin	350	Plain	07HP50G+82**YY			B,E
		Nylon	350	Precision	07NY50GE47**YY			
				Sleeve	07NY50GE90**YY			
		Phenolic	350	Top Hat	07PH50GB99**YY			
H.T. Phenolic	300	S.S. Top Hat	07HT50GQ97**YY					
BrimStone™	350	S.S. Top Hat	07GN50G+97**YY	B,Q				
Semi-Steel	350	Plain	07SS50GS82**YY					
		Sleeve	07SS50GS90**YY					
Conductive PU	250	Precision	07CU50GH44**YY					
5"	1-3/8"	Neo-Energizer™	350	Ball	07EN50VB42**YY	6"	4"	
			350	Precision	07EN50VBP2**YY			
5"	1-1/2"	Polygon™	350	Roller	07PU50H+03**YZ	6"	4"	G,V
		Polygon AL™	350	Roller	07PA50H+03**YZ			N,R
		Polyolefin	350	Roller	07PO50HB03**YZ			
		Phenolic	350	Sleeve	07PH50HB90**YY			
				Roller	07PH50HB03**YZ			
		H.T. Phenolic	350	Sleeve	07HT50HQ90**YY			
				Roller	07HT50HQ03**YZ			
BrimStone™	350	Sleeve	07GN50H+90**YY	B,Q				
		Roller	07GN50H+03**YZ					

75/76/78/T3 Light Medium Duty - Complete Series - 350LB

- Featuring 1-1/4" wide light medium duty complete series of swivel, rigid and total lock caster
- Bright Zinc Plated as standard, Black Electrocoat and Nickel are available as options
- Double ball raceway swivel
- 3/8" Axle and nut
- NSF Listed

75PP50GP47U1-0T0000

75PP50GD4406YY

75EU50GOD006YY

76PP50UI4406YY

T3PM50GM4306YY

75PP50GA4467-0T0000

78SU50GL9006-0V0000

76RA50GI4306YY


Plate Code	Overall Size	Bolt Hole Pattern	Mounting Bolt Size
06	2-3/8" x 3-5/8"	1-3/4" x 2-7/8" slotted to 3"	5/16"
11	3-1/8" x 4-1/8"	1-3/4" x 2-15/16" to 2-3/8" x 3-3/8"	3/8"
A1	3-1/8" x 4-1/8"	1-3/4" x 2-15/16" to 2-3/8" x 3-3/8"	3/8"
	Swivel Caster Plate features additional mounting holes for use on aluminum structural framing, modular carts & workstations. Two 5/16" holes centered at 3.50" (between other holes, long way).		
16	3-1/2" x 3-1/2"	2-5/8" x 2-5/8" to 2-3/4" x 2-3/4"	5/16"
17	4" x 4-1/2"	2-5/8" x 3-5/8" to 3" x 3"	3/8"
U1	3-1/2" x 3-1/2"	1-3/4" x 2-7/8" slotted to 3", co-exist with 2-3/4" x 2-3/4" to 3" x 3"	5/16"
99	5-1/2" x 5-1/2"	4-3/4" x 4-3/4" to 3-1/2" x 3-1/2"	5/16"

Caster Overall Height & Swivel Radius

Size	Code	Overall Height*		Swivel Radius	
		#75	#75	#75	T3
3"	30	4-1/8"	3"	3"	4-5/8"
3.5"	35	4-5/8"	3-1/4"	3-1/4"	4-23/32"
4"	40	5-1/8"	3-13/32"	3-13/32"	
5"	50	6-1/4"	4"	4"	
6"	60	7-3/16"	4-15/32"	4-15/32"	
6"	61	7-1/4"	4-1/8"	4-1/8"	

*Reduce overall height 1/8" for stem casters



75 SERIES • CAPACITY 350

Stem Code	Size	Stem Type	Round Expandable Adapter Stem		
			Stem Code	Expandable Range	Fits Tubing I.D.
E1	Additional Adjustable Height 1.750" - 2.375"	With mounting plate 2-3/8" x 3-5/8", with bolt hole pattern 1-3/4" x 2-7/8" to 3"			
E2	Additional Adjustable Height 1.875" - 2.500"		71	0.720" - 0.851"	3/4"
E3	Additional Adjustable Height 3.500" - 4.125"		72	0.852" - 0.927"	7/8"
E4	Additional Adjustable Height 3.500" - 5.000"		7B	0.900" - 0.980"	15/16"
F1	Additional Adjustable Height 1.750" - 2.375"	With mounting plate 3-1/2" x 3-1/2", with bolt hole pattern 2-3/4" - 2-5/8" to 2-5/8" - 2-3/4"	73	0.928" - 1.029"	1"
F2	Additional Adjustable Height 1.875" - 2.500"		7A	1.020" - 1.100"	1-1/16"
F3	Additional Adjustable Height 3.500" - 4.125"		74	1.110" - 1.180"	1-1/8"
F4	Additional Adjustable Height 3.500" - 5.000"		78	1.178" - 1.303"	1-3/16"
B1	Additional Adjustable Height 1.875" - 3.000"	Adjustable Stem to fit 1-1/2" ID Round Tubing	75	1.360" - 1.425"	1-3/8"
86	1" O.D. Pipe Thread	Pipe Adapter	76	1.426" - 1.589"	1-1/2"
62	3/8" -16 x 1-1/2"	Threaded	77	1.790" - 1.850"	1-7/8"
3B	7/16" - 14 X 5/8"	Threaded	Square Expandable Adapter Stem		
33	7/16" - 14 X 1-1/2"	Threaded	R1	0.720" - 0.851"	3/4"
66	1/2" -13 x 3/4"	Threaded	R2	0.852" - 0.927"	7/8"
67	1/2" - 13 x 1"	Threaded	R3	0.928" - 1.029"	1"
68	1/2" - 13 x 1-1/2"	Threaded	R4	1.030" - 1.140"	1-1/8"
70	1/2" - 13 x 2-3/4"	Threaded	R5	1.360" - 1.425"	1-3/8"
C1	1/2" - 13 x 4"	Threaded	R6	1.426" - 1.589"	1-1/2"
80	5/8" - 11 x 1-1/4"	Threaded	R7	1.790" - 1.850"	1-7/8"
81	5/8" - 11 x 1-3/4"	Threaded	U2	0.852" - 0.927"	7/8"
C2	5/8" - 11 x 4"	Threaded	U5	1.360" - 1.425"	1-3/8"
88	3/4" - 10 x 1"	Threaded	Modular Stem		
87	3/4" - 10 x 1-3/4"	Threaded	ZZ	1/2" diameter	
84	3/4" - 10 x 4"	Threaded	85	1" x 2-3/16" dual rings	Round Grip Ring
S7	3/4" - 10 x 4-1/4"	Threaded	82	1-1/8" x 2-3/16" dual rings	
C3	3/4" - 10 x 6"	Threaded	22	1-1/4" x 2-3/16" dual rings	
91	7/16" - 1-3/8"	Round Grip Ring	23	1-3/8" x 2-3/16" dual rings	
92	5/8" x 2-3/16"	Round Grip Ring	O1	1-1/4" X 4". 7/16" dia. crx drill, 2.5" from bottom	Round
93	13/16" x 2-3/16"	Round Grip Ring	43	9/16" x 2-15/16", 2 x 5/16" dia. crx drill	Square
95	0.846" x 2-3/16"	Round Grip Ring	Q1	1-1/2" x 4" dual rings	
48	0.865" x 2-1/2"	Round Grip Ring	79	7/16" - 14 x 2-1/4"	Threaded
41	7/8" x 2-1/4"	Octagon Grip Ring	C8	1/2" - 13 x 3-1/8"	
51	3/4" x 2" w/ 3 x 1/4" CRX DRL	Square Stem	S5	3/4" - 10 x 10"	
W4	0.825" x 2.5" w/ 1/4" dia. 2-1/8" from bottom	Square Stem	M1	M10 - 1.5 x 1.5"	Metric Threaded
42	7/8" x2" w/ 3 x 5/16" CRX DRL	Square Stem	M3	M12 - 1.75 x 1-3/4"	
55	7/8" x 2" w/ 3 x 5/16" CRX DRL	Square Stem	M6	M16 - 2 x 1.5"	
56	7/8" x2" w/ 3 x 5/16" CRX DRL	Square Stem	M7	M20 - 2.5 x 1-3/4"	
			Q6	1" x 2.5" 5/16" x 4 CRX DRL	Square



75 SERIES • CAPACITY 350

Wheel Dia	Tread Width	Wheel Type	Load Capacity	Bearing Type	Swivel Caster Part #	Total Lock Caster Part #	Rigid Caster Part #		+Color
							2pc welded Part #	1pc enhanced forming Part #	
3"	1-1/4"	yoke and axle/nut			75ZZ30GZ82**YAN	T3ZZ30GZ82**YAN	76ZZ30GZ82**YAN	78ZZ30GZ82**YAN	
		Super-Soft™	105	Annular	75SF30GI43**YY	T3SF30GI43**YY	76SF30GI43**YY	78SF30GI43**YY	
		Soft Rubber	300	Plain	75SR30GB82**YY	T3SR30GB82**YY	76SR30GB82**YY	78SR30GB82**YY	
				Ball	75SR30GB42**YY	T3SR30GB42**YY	76SR30GB42**YY	78SR30GB42**YY	
		Nomadic™	300	Delrin	75NM30G+5A**YY	T3NM30G+5A**YY	76NM30G+5A**YY	78NM30G+5A**YY	I, L
				Annular	75NM30G+43**YY	T3NM30G+43**YY	76NM30G+43**YY	78NM30G+43**YY	I, L
		Conductive TPR	200	Precision	75CN30GH44**YY	T3CN30GH44**YY	76CN30GH44**YY	78CN30GH44**YY	
		Conductive SR	250	Ball	75CT30GB42**YY	T3CT30GB42**YY	76CT30GB42**YY	78CT30GB42**YY	
		Thermo-Pro™	210	Precision	75TP30GI44**YY	T3TP30GI44**YY	76TP30GI44**YY	78TP30GI44**YY	
				Sleeve	75TP30G+47**YY	T3TP30G+47**YY	76TP30G+47**YY	78TP30G+47**YY	T, Y
		Element™	300	Annular	75EL30GI43**YY	T3EL30GI43**YY	76EL30GI43**YY	78EL30GI43**YY	
				Ball	75PP30G+42**YY	T3PP30G+42**YY	76PP30G+42**YY	78PP30G+42**YY	K, W
		Poly-Pro™	300	Precision	75PP30G+44**YY	T3PP30G+44**YY	76PP30G+44**YY	78PP30G+44**YY	A, D, I, K, S
					75PP30G+47**YY	T3PP30G+47**YY	76PP30G+47**YY	78PP30G+47**YY	T, Y
				Delrin	75PP30G+55**YY	T3PP30G+55**YY	76PP30G+55**YY	78PP30G+55**YY	K, W, P
				Sleeve	75PP30G+90**YY	T3PP30G+90**YY	76PP30G+90**YY	78PP30G+90**YY	T, Y
		Polymadic™	300	Delrin	75PM30GM5A**YY	T3PM30GM5A**YY	76PM30GM5A**YY	78PM30GM5A**YY	
				Annular	75PM30GM43**YY	T3PM30GM43**YY	76PM30GM43**YY	78PM30GM43**YY	
		Elite™	350	Ball	75ET30GL42**YY	T3ET30GL42**YY	76ET30GL42**YY	78ET30GL42**YY	
		Ergo-PU	350	Dual Precision	75EU30GOD0**YY	T3EU30GOD0**YY	76EU30GOD0**YY	78EU30GOD0**YY	
		DuraLastomer™	300	Sleeve	75SU30GL90**YY	T3SU30GL90**YY	76SU30GL90**YY	78SU30GL90**YY	
		Polyon AL™	350	Annular	75PA30GL43**YY	T3PA30GL43**YY	76PA30GL43**YY	78PA30GL43**YY	
				Ball	75HR30GB42**YY	T3HR30GB42**YY	76HR30GB42**YY	78HR30GB42**YY	
		Hard Rubber	300	Plain	75HR30GB82**YY	T3HR30GB82**YY	76HR30GB82**YY	78HR30GB82**YY	
				Ball	75HR30GB42**YY	T3HR30GB42**YY	76HR30GB42**YY	78HR30GB42**YY	
		GrayRok™	300	Plain	75RK30GI82**YY	T3RK30GI82**YY	76RK30GI82**YY	78RK30GI82**YY	
				Ball	75PO30G+82**YY	T3PO30G+82**YY	76PO30G+82**YY	78PO30G+82**YY	B, Z
		Polyolefin	300	Sleeve	75PO30G+90**YY	T3PO30G+90**YY	76PO30G+90**YY	78PO30G+90**YY	J, Z
				Ball	75PO30GZ42**YY	T3PO30GZ42**YY	76PO30GZ42**YY	78PO30GZ42**YY	
		H.D. Polyolefin	300	Plain	75HP30G+82**YY	T3HP30G+82**YY	76HP30G+82**YY	78HP30G+82**YY	B, E
		Nylon	300	Sleeve	75NY30GE90**YY	T3NY30GE90**YY	76NY30GE90**YY	78NY30GE90**YY	
				Precision	75NY30GE47**YY	T3NY30GE47**YY	76NY30GE47**YY	78NY30GE47**YY	
		Phenolic	300	Top Hat	75PH30GB99**YY	T3PH30GB99**YY	76PH30GB99**YY	78PH30GB99**YY	
		H.T. Phenolic	200	S.S. Top Hat	75HT30GQ97**YY	T3HT30GQ97**YY	76HT30GQ97**YY	78HT30GQ97**YY	
		BrimStone™	350	S.S. Top Hat	75GN30GQ97**YY	T3GN30GQ97**YY	76GN30GQ97**YY	78GN30GQ97**YY	Q, B
Plain	75SS30GS82**YY			T3SS30GS82**YY	76SS30GS82**YY	78SS30GS82**YY			
Semi-Steel	350	Sleeve	75SS30GS90**YY	T3SS30GS90**YY	76SS30GS90**YY	78SS30GS90**YY			
		Plain	75SI30GS82**YY	T3SI30GS82**YY	76SI30GS82**YY	78SI30GS82**YY			
Sintered Iron	350	Plain	75SI30GS82**YY	T3SI30GS82**YY	76SI30GS82**YY	78SI30GS82**YY			
V-Groove	350	Plain	75VG30GT82**YY	T3VG30GT82**YY	76VG30GT82**YY	78VG30GT82**YY			
Maxrok™	350	Plain	75MA30GB82**YY	T3MA30GB82**YY	76MA30GB82**YY	78MA30GB82**YY			
Conductive PU	225	Precision	75CU30GH44**YY	T3CU30GH44**YY	76CU30GH44**YY	78CU30GH44**YY			
3-1/2"	1-1/4"	yoke and axle/nut			75ZZ35GZ82**YAN	T3ZZ35GZ82**YAN	76ZZ35GZ82**YAN	78ZZ35GZ82**YAN	
		Super-Soft™	110	Annular	75SF35GI43**YY	T3SF35GI43**YY	76SF35GI43**YY	78SF35GI43**YY	
		Soft Rubber	350	Plain	75SR35GB82**YY	T3SR35GB82**YY	76SR35GB82**YY	78SR35GB82**YY	
		Rubber/Alu	250	Annular	75RA35GI43**YY	T3RA35GI43**YY	76RA35GI43**YY	78RA35GI43**YY	
		Nomadic™	300	Delrin	75NM35G+5A**YY	T3NM35G+5A**YY	76NM35G+5A**YY	78NM35G+5A**YY	I, L
				Annular	75NM35GI43**YY	T3NM35GI43**YY	76NM35GI43**YY	78NM35GI43**YY	
		Thermo-Pro™	230	Precision	75TP35GI44**YY	T3TP35GI44**YY	76TP35GI44**YY	78TP35GI44**YY	
				Sleeve	75TP35G+47**YY	T3TP35G+47**YY	76TP35G+47**YY	78TP35G+47**YY	T, Y
		Element™	300	Annular	75EL35GI43**YY	T3EL35GI43**YY	76EL35GI43**YY	78EL35GI43**YY	
				Ball	75PP35G+42**YY	T3PP35G+42**YY	76PP35G+42**YY	78PP35G+42**YY	K, P, W
		Poly-Pro™	300	Precision	75PP35G+44**YY	T3PP35G+44**YY	76PP35G+44**YY	78PP35G+44**YY	A, D, I, K, S
					75PP35G+47**YY	T3PP35G+47**YY	76PP35G+47**YY	78PP35G+47**YY	T, Y
				Delrin	75PP35G+55**YY	T3PP35G+55**YY	76PP35G+55**YY	78PP35G+55**YY	K, P, W
				Sleeve	75PP35G+90**YY	T3PP35G+90**YY	76PP35G+90**YY	78PP35G+90**YY	T, Y
		Polymadic™	325	Delrin	75PM35GM5A**YY	T3PM35GM5A**YY	76PM35GM5A**YY	78PM35GM5A**YY	
				Annular	75PM35GM43**YY	T3PM35GM43**YY	76PM35GM43**YY	78PM35GM43**YY	
		Polyon AL™	350	Annular	75PA35G+43**YY	T3PA35G+43**YY	76PA35G+43**YY	78PA35G+43**YY	L, M
		Disc Wheel	250	Ball	75UN35GLA3**YY	T3UN35GLA3**YY	76UN35GLA3**YY	78UN35GLA3**YY	
		Hard Rubber	300	Plain	75HR35GB82**YY	T3HR35GB82**YY	76HR35GB82**YY	78HR35GB82**YY	
				Ball	75PO35GZ82**YY	T3PO35GZ82**YY	76PO35GZ82**YY	78PO35GZ82**YY	
		Polyolefin	300	Plain	75PO35GJ90**YY	T3PO35GJ90**YY	76PO35GJ90**YY	78PO35GJ90**YY	
				Sleeve	75PO35GJ90**YY	T3PO35GJ90**YY	76PO35GJ90**YY	78PO35GJ90**YY	
		Phenolic	350	Top Hat	75PH35GB99**YY	T3PH35GB99**YY	76PH35GB99**YY	78PH35GB99**YY	
		Semi-Steel	350	Plain	75SS35GS82**YY	T3SS35GS82**YY	76SS35GS82**YY	78SS35GS82**YY	
		BrimStone™	350	S.S. Top Hat	75GN35GQ97**YY	T3GN35GQ97**YY	76GN35GQ97**YY	78GN35GQ97**YY	

Change G to U for heavy gauge frame.

Only Superior Casters are Durable! 71



75 SERIES • CAPACITY 350

Wheel Dia	Tread Width	Wheel Type	Load Cap	Bearing Type	Swivel Caster Part #	Total Lock Caster Part #	Rigid Caster Part #		+Color	
							2pc welded Part #	1pc enhanced forming Part #		
4"	1-1/4"	yoke and axle/nut				75ZZ40GZ82**YAN	T3ZZ40GZ82**YAN	76ZZ40GZ82**YAN	78ZZ40GZ82**YAN	
		Super-Soft™	120	Annular	75SF40GI43**YY	T3SF40GI43**YY	76SF40GI43**YY	78SF40GI43**YY		
		Soft Rubber	350	Plain	75SR40GB82**YY	T3SR40GB82**YY	76SR40GB82**YY	78SR40GB82**YY		
			350	Ball	75SR40GB42**YY	T3SR40GB42**YY	76SR40GB42**YY	78SR40GB42**YY		
		Rubber/Alu	250	Annular	75RA40GI43**YY	T3RA40GI43**YY	76RA40GI43**YY	78RA40GI43**YY		
		Nomadic™	300	Delrin	75NM40GI5A**YY	T3NM40GI5A**YY	76NM40GI5A**YY	78NM40GI5A**YY		
				Annular	75NM40GI43**YY	T3NM40GI43**YY	76NM40GI43**YY	78NM40GI43**YY		
		Conductive	250	Precision	75CN40GH44**YY	T3CN40GH44**YY	76CN40GH44**YY	78CN40GH44**YY		
		Thermo-Pro™	250	Precision	75TP40G+44**YY	T3TP40G+44**YY	76TP40G+44**YY	78TP40G+44**YY	A, I	
					75TP40G+47**YY	T3TP40G+47**YY	76TP40G+47**YY	78TP40G+47**YY	T, Y	
				Sleeve	75TP40G+90**YY	T3TP40G+90**YY	76TP40G+90**YY	78TP40G+90**YY	T, Y	
		Element™	300	Annular	75EL40GI43**YY	T3EL40GI43**YY	76EL40GI43**YY	78EL40GI43**YY		
		Poly-Pro™	350	Ball	75PP40G+42**YY	T3PP40G+42**YY	76PP40G+42**YY	78PP40G+42**YY	K, P, W	
				Precision	75PP40G+44**YY	T3PP40G+44**YY	76PP40G+44**YY	78PP40G+44**YY	A, D, I, K, S	
					75PP40G+47**YY	T3PP40G+47**YY	76PP40G+47**YY	78PP40G+47**YY	T, Y	
				Sleeve	75PP40G+90**YY	T3PP40G+90**YY	76PP40G+90**YY	78PP40G+90**YY	T, Y	
		Polymadic™	350	Delrin	75PM40GM5A**YY	T3PM40GM5A**YY	76PM40GM5A**YY	78PM40GM5A**YY		
				Annular	75PM40GM43**YY	T3PM40GM43**YY	76PM40GM43**YY	78PM40GM43**YY		
		Elite™	350	Ball	75ET40GL42**YY	T3ET40GL42**YY	76ET40GL42**YY	78ET40GL42**YY		
		Ergo-PU	350	Dual Precision	75EU40GOD0**YY	T3EU40GOD0**YY	76EU40GOD0**YY	78EU40GOD0**YY		
		DuraLastomer™	350	Sleeve	75SU40GL90**YY	T3SU40GL90**YY	76SU40GL90**YY	78SU40GL90**YY		
		Polyon AL™	350	Annular	75PA40GL43**YY	T3PA40GL43**YY	76PA40GL43**YY	78PA40GL43**YY	L, M	
		Disc Wheel	270	Ball	75UN40GLA3**YY	T3UN40GLA3**YY	76UN40GLA3**YY	78UN40GLA3**YY		
		Hard Rubber	350	Plain	75HR40GB82**YY	T3HR40GB82**YY	76HR40GB82**YY	78HR40GB82**YY		
				Ball	75HR40GB42**YY	T3HR40GB42**YY	76HR40GB42**YY	78HR40GB42**YY		
		Polyolefin	350	Plain	75PO40G+82**YY	T3PO40G+82**YY	76PO40G+82**YY	78PO40G+82**YY	B, Z	
				Sleeve	75PO40G+90**YY	T3PO40G+90**YY	76PO40G+90**YY	78PO40G+90**YY	J, Z	
				Ball	75PO40GZ42**YY	T3PO40GZ42**YY	76PO40GZ42**YY	78PO40GZ42**YY		
		H.D. Polyolefin	350	Plain	75HP40G+82**YY	T3HP40G+82**YY	76HP40G+82**YY	78HP40G+82**YY	B, E	
		Nylon	350	Precision	75NY40GE47**YY	T3NY40GE47**YY	76NY40GE47**YY	78NY40GE47**YY		
				Sleeve	75NY40GE90**YY	T3NY40GE90**YY	76NY40GE90**YY	78NY40GE90**YY		
		Phenolic	350	Top Hat	75PH40GB99**YY	T3PH40GB99**YY	76PH40GB99**YY	78PH40GB99**YY		
		H.T. Phenolic	250	S.S. Top Hat	75HT40GQ97**YY	T3HT40GQ97**YY	76HT40GQ97**YY	78HT40GQ97**YY		
		BrimStone™	350	S.S. Top Hat	75GN40GQ97**YY	T3GN40GQ97**YY	76GN40GQ97**YY	78GN40GQ97**YY	Q, B	
SteROLLizer™ AL	300	Sleeve	75BF40GC90**YZ	T3BF40GC90**YZ	76BF40GC90**YZ	78BF40GC90**YZ				
SteROLLizer™ SS	300	Sleeve	75SL40GC90**YY	T3SL40GC90**YY	76SL40GC90**YY	78SL40GC90**YY				
Semi-Steel	350	Plain	75SS40GS82**YY	T3SS40GS82**YY	76SS40GS82**YY	78SS40GS82**YY				
		Sleeve	75SS40GS90**YY	T3SS40GS90**YY	76SS40GS90**YY	78SS40GS90**YY				
Conductive PU	250	Precision	75CU40GH44**YY	T3CU40GH44**YY	76CU40GH44**YY	78CU40GH44**YY				

Change G to U for heavy gauge frame.



Wheel Dia	Tread Width	Wheel Type	Load Capacity	Bearing Type	Swivel Caster Part #	Total Lock Caster Part #	Rigid Caster Part #		+Color	
							2pc welded Part #	1pc enhanced forming Part #		
5"	1-1/4"	yoke and axle/nut			75ZZ50GZ82**YAN	T3ZZ50GZ82**YAN	76ZZ50GZ82**YAN	78ZZ50GZ82**YAN		
		Super-Soft™	125	Annular	75SF50GI43**YY	T3SF50GI43**YY	76SF50GI43**YY	78SF50GI43**YY		
		Soft Rubber	350	Plain	75SR50GB82**YY	T3SR50GB82**YY	76SR50GB82**YY	78SR50GB82**YY		
				Ball	75SR50GB42**YY	T3SR50GB42**YY	76SR50GB42**YY	78SR50GB42**YY		
		Rubber/Alu	325	Annular	75RA50GI43**YY	T3RA50GI43**YY	76RA50GI43**YY	78RA50GI43**YY		
		Nomadic™	325	Delrin	75NM50G+5A**YY	T3NM50G+5A**YY	76NM50G+5A**YY	78NM50G+5A**YY	I, L	
				Annular	75NM50G+43**YY	T3NM50G+43**YY	76NM50G+43**YY	78NM50G+43**YY		
		Conductive	275	Precision	75CN50GH44**YY	T3CN50GH44**YY	76CN50GH44**YY	78CN50GH44**YY		
		Thermo-Pro™	300	Precision	75TP50GI44**YY	T3TP50GI44**YY	76TP50GI44**YY	78TP50GI44**YY	T,Y	
					75TP50G+47**YY	T3TP50G+47**YY	76TP50G+47**YY	78TP50G+47**YY		
		Sleeve	300	Precision	75TP50G+90**YY	T3TP50G+90**YY	76TP50G+90**YY	78TP50G+90**YY	T,Y	
					75TP50G+90**YY	T3TP50G+90**YY	76TP50G+90**YY	78TP50G+90**YY		
		Element™	350	Annular	75EL50GI43**YY	T3EL50GI43**YY	76EL50GI43**YY	78EL50GI43**YY		
		Poly-Pro™	350	Precision	Ball	75PP50G+42**YY	T3PP50G+42**YY	76PP50G+42**YY	78PP50G+42**YY	C,K,P,W
					Precision	75PP50G+44**YY	T3PP50G+44**YY	76PP50G+44**YY	78PP50G+44**YY	I,A,D,S
						75PP50G+47**YY	T3PP50G+47**YY	76PP50G+47**YY	78PP50G+47**YY	T,Y
					Delrin	75PP50G+55**YY	T3PP50G+55**YY	76PP50G+55**YY	78PP50G+55**YY	C,K,P,W
		Sleeve	350	Precision	75PP50G+90**YY	T3PP50G+90**YY	76PP50G+90**YY	78PP50G+90**YY	T,Y	
					75PP50G+90**YY	T3PP50G+90**YY	76PP50G+90**YY	78PP50G+90**YY	T,Y	
		Polymadic™	350	Delrin	75PM50GM5A**YY	T3PM50GM5A**YY	76PM50GM5A**YY	78PM50GM5A**YY		
				Annular	75PM50GM43**YY	T3PM50GM43**YY	76PM50GM43**YY	78PM50GM43**YY		
		Ergo-PU	350	Dual Precision	75EU50GOD0**YY	T3EU50GOD0**YY	76EU50GOD0**YY	78EU50GOD0**YY		
		DuraLastomer™	350	Sleeve	75SU50GL90**YY	T3SU50GL90**YY	76SU50GL90**YY	78SU50GL90**YY		
		Polyon AL™	350	Annular	75PA50GL43**YY	T3PA50GL43**YY	76PA50GL43**YY	78PA50GL43**YY		
		Disc Wheel	300	Ball	75UN50GLA3**YY	T3UN50GLA3**YY	76UN50GLA3**YY	78UN50GLA3**YY		
		Hard Rubber	350	Plain	75HR50GB82**YY	T3HR50GB82**YY	76HR50GB82**YY	78HR50GB82**YY		
				Ball	75HR50GB42**YY	T3HR50GB42**YY	76HR50GB42**YY	78HR50GB42**YY		
		Polyolefin	350	Precision	Plain	75PO50G+82**YY	T3PO50G+82**YY	76PO50G+82**YY	78PO50G+82**YY	B,Z
					Sleeve	75PO50G+90**YY	T3PO50G+90**YY	76PO50G+90**YY	78PO50G+90**YY	J,Z
					Ball	75PO50GZ42**YY	T3PO50GZ42**YY	76PO50GZ42**YY	78PO50GZ42**YY	
		H.D. Polyolefin	350	Plain	75HP50G+82**YY	T3HP50G+82**YY	76HP50G+82**YY	78HP50G+82**YY	B,E	
		Nylon	350	Precision	75NY50GE47**YY	T3NY50GE47**YY	76NY50GE47**YY	78NY50GE47**YY		
Sleeve	75NY50GE90**YY			T3NY50GE90**YY	76NY50GE90**YY	78NY50GE90**YY				
Phenolic	350	Top Hat	75PH50GB99**YY	T3PH50GB99**YY	76PH50GB99**YY	78PH50GB99**YY				
H.T. Phenolic	300	S.S. Top Hat	75HT50GQ97**YY	T3HT50GQ97**YY	76HT50GQ97**YY	78HT50GQ97**YY				
BrimStone™	350	S.S. Top Hat	75GN50GQ97**YY	T3GN50GQ97**YY	76GN50GQ97**YY	78GN50GQ97**YY	Q,B			
Semi-Steel	350	Plain	75SS50GS82**YY	T3SS50GS82**YY	76SS50GS82**YY	78SS50GS82**YY				
		Sleeve	75SS50GS90**YY	T3SS50GS90**YY	76SS50GS90**YY	78SS50GS90**YY				
Conductive PU	250	Precision	75CU50GH44**YY	T3CU50GH44**YY	76CU50GH44**YY	78CU50GH44**YY				

Change G to U for heavy gauge frame.



Wheel Dia	Tread Width	Wheel Type	Load Cap	Bearing Type	Swivel Caster Part #	Total Lock Caster Part #	Rigid Caster Part #		+Color	
							2pc welded Part #	1pc enhanced forming Part #		
6"	1-1/4"	yoke and axle/nut				75ZZ60GZ82**YAN	T3ZZ60GZ82**YAN	76ZZ60GZ82**YAN	78ZZ60GZ82**YAN	
		Poly-Pro™	350	Precision	75PP60G+44**YY	T3PP60G+44**YY	76PP60G+44**YY	78PP60G+44**YY	A,I	
				Delrin	75PP60G+47**YY	T3PP60G+47**YY	76PP60G+47**YY	78PP60G+47**YY	T,Y	
				Sleeve	75PP60GT90**YY	T3PP60GT90**YY	76PP60GT90**YY	78PP60GT90**YY		
		Thermo-Pro™	300	Precision	75TP60GI44**YY	T3TP60GI44**YY	76TP60GI44**YY	78TP60GI44**YY		
				Delrin	75TP60GT47**YY	T3TP60GT47**YY	76TP60GT47**YY	78TP60GT47**YY		
				Sleeve	75TP60GT90**YY	T3TP60GT90**YY	76TP60GT90**YY	78TP60GT90**YY		
		6-1/4"	1-1/4"	Cushion-Ride™	200	Ball	75CR61G+42**YY	T3CR61G+42**YY	76CR61H+42**YY	78CR61G+42**YY
3"	1-1/2"	Phenolic	350	Sleeve	75PH30HB90**YY	T3PH30HB90**YY	76PH30HB90**YY	78PH30HB90**YY		
		Roller	75PH30HB03**YZ	T3PH30HB03**YZ	76PH30HB03**YZ	78PH30HB03**YZ				
4"	1-1/2"	H.T. Phenolic	350	Roller	75HT30HQ03**YZ	T3HT30HQ03**YZ	76HT30HQ03**YZ	78HT30HQ03**YZ		
		Polyon™	350	Roller	75PU40H+03**YZ	T3PU40H+03**YZ	76PU40H+03**YZ	78PU40H+03**YZ	G,V	
		Polyon AL™	350	Roller	75PO40H+03**YZ	T3PO40H+03**YZ	76PO40H+03**YZ	78PO40HB03**YZ		
		Polyolefin	350	Roller	75PO40HB03**YZ	T3PO40HB03**YZ	76PO40HB03**YZ	78PO40HB03**YZ		
		Phenolic	350	Sleeve	75PH40HB90**YY	T3PH40HB90**YY	76PH40HB90**YY	78PH40HB90**YY		
				Roller	75PH40HB03**YZ	T3PH40HB03**YZ	76PH40HB03**YZ	78PH40HB03**YZ		
		H.T. Phenolic	350	Sleeve	75HT40HQ90**YY	T3HT40HQ90**YY	76HT40HQ90**YY	78HT40HQ90**YY		
				Roller	75HT40HQ03**YZ	T3HT40HQ03**YZ	76HT40HQ03**YZ	78HT40HQ03**YZ		
		BrimStone™	350	Sleeve	75GN40HQ90**YY	T3GN40HQ90**YY	76GN40HQ90**YY	78GN40HQ90**YY	Q,B	
		SteROLLizer™ AL	350	SS Precision	75BH40HC61**YY	T3BH40HC61**YY	76BH40HC61**YY	78BH40HC61**YY		
		SteROLLizer™ SS	350	SS Precision	75SL40HC61**YY	T3SL40HC61**YY	76SL40HC61**YY	78SL40HC61**YY		
		Epoxy	350	Dual Precision	75OV40HGP4**YZ	T3OV40HGP4**YZ	76OV40HGP4**YZ	78OV40HGP4**YZ		
Sleeve	75OV40H+90**YZ			T3OV40H+90**YZ	76OV40H+90**YZ	78OV40H+90**YZ	G,Q			
5"	1-1/2"	Polyon™	350	Roller	75PU50H+03**YZ	T3PU50H+03**YZ	76PU50H+03**YZ	78PU50H+03**YZ	G,V	
		Polyon AL™	350	Roller	75PA50H+03**YZ	T3PA50H+03**YZ	76PA50H+03**YZ	78PA50H+03**YZ	N,R	
		Polyolefin	350	Roller	75PO50HB03**YZ	T3PO50HB03**YZ	76PO50HB03**YZ	78PO50HB03**YZ		
		Phenolic	350	Sleeve	75PH50HB90**YY	T3PH50HB90**YY	76PH50HB90**YY	78PH50HB90**YY		
				Roller	75PH50HB03**YZ	T3PH50HB03**YZ	76PH50HB03**YZ	78PH50HB03**YZ		
		H.T. Phenolic	350	Sleeve	75HT50HQ90**YY	T3HT50HQ90**YY	76HT50HQ90**YY	78HT50HQ90**YY		
				Roller	75HT50HQ03**YZ	T3HT50HQ03**YZ	76HT50HQ03**YZ	78HT50HQ03**YZ		
		BrimStone™	350	Sleeve	75GN50HQ90**YY	T3GN50HQ90**YY	76GN50HQ90**YY	78GN50HQ90**YY		
Roller	75GN50HQ03**YZ			T3GN50HQ03**YZ	76GN50HQ03**YZ	78GN50HQ03**YZ	Q,B			

Change G to U for heavy gauge frame.

75GN40GQ9917-000E00
With Seal and Straight Grease Fitting



75UT50GI8206-0000Q0
With High-Temp Seal and 90° Angle Grease Fitting

