




# DURABLE SUPERIOR CASTERS®

## 4L – MODULAR STEM SERIES – 1500LB

**NEW**



- ASTM1045 forged integral structure of hardened raceway
- 3/4" hexagon mounting hole to secure the modular stem
- Bright zinc as standard



FASTENING OPTIONS						
Replace ** in part # with desired stem code.						
Stem Code	Spec.	Stem Type	Modular Part #	Size	Swivel Radius	Overall Height
ZZ		3/4" HEXAGON HOLE		4	3-3/16	5-7/16
T1	3/4-10 X 2-1/4	THREADED	4LSTT1	5	3-7/8	6-5/16
S7	3/4-10 X 4-1/4		4LSTS7	6	4-9/16	7-5/16
T2	1-8 X 2-1/4		4LSTST2	8	5-15/16	9-5/16
C7	1-8 X 4		4LSTC7			
L2	3/4 X 4	PLAIN	4LSTL2			
L3	7/8 X 4		4LSTL3			
L4	1 X 4		4LSTL4			
L5	1-3/8 X 4		4LSTL5			
19	4-1/2 X 6-1/4		PLATE	BOLT HOLE SPACING 2-7/16 X 4-15/16 TO 3-3/8 X 5-1/4		
20	5 X 5-1/2	BOLT HOLE SPACING 4-1/8 X 4-1/2				

Please contact factory for other special stems.

### 4L – MODULAR STEM SERIES – 1500LB

Wheel Diameter	Thread Width	Wheel Type	Load Cap.	Available Bearing Options	+ Color	4L Series Part #	
4	2	YOKE ONLY					4LZZ40JZ83**YY
		NEO-ENERGIZER™	500	04, 09, 60		4LEN40JB##**YY	
		NOMADIC™	400	04, 09, 60, 48, 57	I, B	4LNM40J+##**YY	
		RUBBER ON NYLON	400	04, 09, 60, 48, 57		4LNR40JB##**YY	
		RUBBER ON ALUMINUM	400	04, 09, 60, 48, 57		4LRA40JB##**YY	
		LOW PROFILE RUBBER	300				4LLP40JB04**YY
		MOLD-ON RUBBER	400	04, 09, 60, 48, 57			4LRS40JB##**YY
		THERMO-PRO™	300	04, 09, 60, 63, 48, 57	A, T, Y		4LTP40J+##**YY
		POLYOLEFIN	500	04, 09, 60, 63, 48, 57	B, E		4LPO40J+##**YY
		NYLON	800	04, 09, 60, 63, 48, 57			4LNY40JE##**YY
		IRONMAN	1500	04, 09, 65, 73			4LNX40JB##**YY
		ROKHARD™	800	04, 09, 60, 63, 48, 57			4LHI40JB##**YY
		BRIMSTONE®	800	04, 09, 90			4LGN40JQ##**YY
		EPOXY	800	04, 09, 90			4LOV40JQ##**YY
		MAXROK™	800	04, 09, 60, 63, 48, 57			4LMA40JB##**YY
		PHENOLIC	800	04, 09, 60, 63, 48, 57			4LPH40JB##**YY
		PHENOLIC (STRAIGHT SIDED)	1000	04, 09, 60, 57, 12			4LPH40TB##**YY
		HIGH-TEMP PHENOLIC	600	04, 09, 90			4LHT40JQ##**YY
		POLYON MAXROK™	700	04, 09, 60, 63, 48, 57	G, K		4LMU40J+##**YY
		POLY AL™	800	04, 09, 60, 63, 48, 57	N, R		4LPA40J+##**YY
		DW-BLACK	500				4LDW40JLT3**YY
		DW-RED	475				4LDW40JRT3**YY
		DW-BLUE	650				4LDW40JBT3**YY
		DW-GRAY	960				4LDW40JGT3**YY
		POLY-PRO™	500	04, 09, 60, 63, 48, 57	D, K, M, U, W		4LPP40J+##**YY
			600				4LPP40JP49**YY
		POLYADIC™	600	04, 09, 60, 63, 48, 57	I, M		4LPM40J+##**YY
		POLYON™	800	04, 09, 60	G, V		4LPU40J+##**YY
			800				4LPU40JV63**YY
		ENERGY SAVER POLYON™	800	04, 09, 60, 73			4LSW40JU##**YY
		POLYFLEXON™ CAST	700	04, 09, 60, 63, 48, 57			4LRP40JK##**YY
		POLYFLEXON™	900		N, O		4LUA40J+64**YY
		D-POLYON	900				4LUD40JL64**YY
		ULTRAFLEX™	500				4LUX40JL64**YY
		DURALASTOMER™	750	09, 60, 57			4LSU40JL##**YY
		SUPER ELASTOMER	1200				4LEE40JI60**YY
		ERGOLASTOMER™	1000	04, 09, 73, 64, 57			4LHU40JI##**YY
		SEMI-STEEL	700	04, 09			4LSS40JS##**YY
		HEAVY DUTY IRON	900	04, 09, 63			4LHS40JS##**YY
		DUCTILE	1500	04, 09, 63, 73			4LDS40JR##**YY
		SOLID STEEL	1500	09, B1, B5			4LMS40JS##**YY
		ENERGY SAVER DUCTILE™	1500	04, 09, B1, B5			4LCD40JR##**YY
		MAXROK™ V-GROOVE	800	04, 09, 60, 57			4LMV40JT##**YY



4L – MODULAR STEM SERIES – 1500LB

Wheel Diameter	Thread Width	Wheel Type	Load Cap.	Available Bearing Options	+ Color	4L Series Part #	
5	2	YOKE ONLY					4LZZ50JZ83**YY
		NEO-ENERGIZER™	550	04, 09, 60'			4LEN50JB##**YY
		NOMADIC™	500	04, 09, 48, 60, 57		B, I	4LNM50J+##**YY
		RUBBER ON NYLON	450	04, 09, 48, 60, 57			4LNR50JB##**YY
		RUBBER ON ALUMINUM	500	04, 09, 48, 60, 57			4LRA50JB##**YY
		MOLD-ON RUBBER	400	04, 09, 60, 48, 57			4LRS50JB##**YY
		CUSHENDURE™	400				4LGR50JB19**YY
		THERMO-PRO™	350	04, 09, 60, 48, 63, 57		A, I, T, X, Y, Z	4LTP50J+##**YY
		POLYOLEFIN	650			B, E	4LPO50J+##**YY
		NYLON	900	04, 09, 60, 48, 53, P3, 57			4LNY50JE##**YY
		IRONMAN	1500	65, 73			4LNX50JB##**YY
		ROKHARD™	900	04, 09, 48, 60, 57			4LHI50JB##**YY
		BRIMSTONE®	1000	04, 09, 60, 90			4LGN50JQ##**YY
		EPOXY	1000	04, 09, 90			4LOV50JQ##**YY
		MAXROK™	1000	04, 09, 60, 48, 57			4LMA50JB##**YY
		PHENOLIC	1000	04, 09, 60, 48, 57, 90			4LPH50JB##**YY
		H-TEMP PHENOLIC	750	04, 09, 90			4LHT50JQ##**YY
		STEROLLIZER™	450				4LSL50JCB8**YY
		POLYON MAXROK™	1000	04, 09, 48, 60, 57		G, K	4LMU50J+##**YY
		POLYON AL™	900	04, 09, 48, 60, 57		N, R	4LPA50J+##**YY
		POLYON - C	900	04, 09, 48, 60, 57, 12			4LPR50JL##**YY
		DW-BLACK	550				4LDW50JLT3**YY
		DW-RED	750				4LDW50JRT3**YY
		DW-BLUE	1160				4LDW50JBT3**YY
		DW-GRAY	1200				4LDW50JGT3**YY
		POLY-PRO™	600	04, 09, 48, 60, 63, 57		B, C, D, K, U, M, W	4LPP50J+##**YY
			700				4LPP50JP49**YY
							4LPP50JH63**YY
		POLYMADIC™	750	04, 09, 48, 60, 63, 57		I, M	4LPM50J+##**YY
		POLYON™	1100				4LPU50JV63**YY
			1100	04, 09, 60, 48		G, V	4LPU50J+##**YY
		ENERGY SAVER POLYON™	1500	04, 09, 60, 48			4LSW50JU##**YY
		POLYFLEXON™ CAST	800	04, 09, 60, 48			4LRP50JK##**YY
		POLYFLEXON™	900			N, O	4LUA50J+64**YY
		D-POLYON	900				4LUD50JL64**YY
		DURALASTOMER™	900	09, 60, 57			4LSU50JL##**YY
		ULTRAFLEX™	900	09, 60, 57			4LUX50JO64**YY
		SUPER ELASTOMER	1200				4LEE60JI60**YY
		ERGOLASTOMER™	1400	04, 09, 73, 64, 57			4LHU50JI##**YY
		SEMI-STEEL	1000	04, 09			4LSS50JS##**YY
		HEAVY DUTY IRON	1200	04, 09, 63			4LHS50JS##**YY
		DUCTILE	1500	04, 09, 73, 63, B1, B5			4LDS50JR##**YY
FORGED STEEL	1500	02, 09, B5, B1			4LFS50JS##**YY		
ENERGY SAVER DUCTILE™	1500	04, 09, B1, B5			4LCD50JR##**YY		
6	2	YOKE ONLY					4LZZ60JZ83**YY
		NEO-ENERGIZER™	600	04, 09, 60			4LEN60JB##**YY
		PNEUMATIC	200				4LFP60JB60**YY
		FOAM FILLED	200				4LFF60JB60**YY
		EVER-ROLL™	200			B, I	4LER60J+60**YY
		NOMADIC™	600	04, 09, 48, 60, 57			4LNM60JB##**YY
		RUBBER ON NYLON	550	04, 09, 48, 60, 57			4LNR60JB##**YY
		DURA-CUSHION™	350	04, 09, 63		X, Z	4LBC60J+##**YY
		ECO-RUBBER	350	53, P3			4LSN60JC##**YY
		RUBBER ON ALUMINUM	550	04, 09, 48, 60, 57			4LRA60JB##**YY
		LOW PROFILE RUBBER	600				4LLP60JB04**YY
		MOLD-ON RUBBER	550	04, 09, 48, 60, 57			4LRS60JB##**YY
		SUPREME RUBBER	700	63, 73			4LRH60JS##**YY
		THERMO-PRO™	500	04, 09, 60, 63, 48, 57		A, I, T, X, Y, Z	4LTP60J+##**YY
		POLYOLEFIN	700	04, 09, 60, 53, P3, 48, 57		B, E	4LPO60J+##**YY
		NYLON	1000	04, 09, 48, 60, 57			4LNY60JE##**YY
		IRONMAN	1500	65, 73			4LNX60JB##**YY
		ROKHARD™	1000	04, 09, 48, 60, 57			4LHI60JB##**YY
		BRIMSTONE®	1100	04, 09, 60, 90			4LGN60JQ##**YY
		EPOXY	1100	04, 09, 90			4LOV60JQ##**YY
		MAXROK™	1200	04, 09, 60, 48, 57			4LMA60JB##**YY
		PHENOLIC	1200	04, 09, 60, 48, 57			4LPH60JB##**YY
			1250				4LPH60TB##**YY
		HIGH-TEMP PHENOLIC	900	04, 09, 90			4LHT60JQ##**YY
		POLY MAXROK™	1200	04, 09, 60, 48, 57		G, K	4LMU60J+##**YY
		POLYON AL™	1200	04, 09, 48, 60, 57		N, R	4LPA60J+##**YY
		POLYON-C	1200	04, 09, 48, 60, 57, 12			4LPR60JL##**YY
		DW-BLACK	700				4LDW60JLT3**YY
		DW-RED	900				4LDW60JRT3**YY
		DW-BLUE	1400				4LDW60JBT3**YY



# DURABLE SUPERIOR CASTERS®

4L – MODULAR STEM SERIES – 1500LB

Wheel Diameter	Thread Width	Wheel Type	Load Cap.	Available Bearing Options	+ Color	4L Series Part #		
6	2	DW-GRAY	1440			4LDW60JGT3**YY		
		POLY-PRO™	720	04, 09, 48, 60, 57, 63	D, I, K, M, W, U	4LPP60J+##**YY		
			900			4LPP60JP49**YY		
		POLYMADIC™	900	04, 09, 48, 60, 63, 57		I, M	4LPM60J+##**YY	
		POLYON™	1200		04, 09, 60	G, V	4LPU60JV63**YY	
		ENERGY SAVER POLYON™	1400		04, 09, 63, 73		4LSW60JU##**YY	
		POLYFLEXON™ CAST	900		04, 09, 60, 48, 57		4LRP60JK##**YY	
		POLYFLEXON™	900			N, O	4LUA60J+64**YY	
		D-POLYON	900				4LUD60JL64**YY	
		ULTRAFLEX™	700				4LUX60J064**YY	
		CHAMPION	1200				4LCP60JN64**YY	
		DURALASTOMER™	1000		09, 60, 57		4LSU60JL##**YY	
		SUPER ELASTOMER	1320				4LEE60J160**YY	
		ERGOLASTOMER™	1700		04, 09, 73, 64, 57		4LHU60JI##**YY	
		SEMI-STEEL	1200		04, 09		4LSS60JS##**YY	
		HEAVY DUTY IRON	1400		04, 09, 63		4LHS60JS##**YY	
		DUCTILE	1500		04, 09, 73, 63, B1, B5		4LDS60JR##**YY	
		ENERGY SAVER DUCTILE™	1500		04, 09, B1, B5		4LCD60JR##**YY	
		FORGED STEEL	1500		04, 09, 73, 63, B1, B5		4LFS60JS##**YY	
		IRON V-GROOVE	1000		04, 09		4LVG60JT##**YY	
		DUCTILE V-GROOVE	1500		04, 09, B1, B5		4LDV60JT##**YY	
				YOKE ONLY				4LZZ80JZ83**YY
		8	2	NEO-ENERGIZER™	600	04, 09, 60		4LEN80JB##**YY
NOMADIC™	700			04, 09, 48, 60, 57	B, I	4LNM80J+##**YY		
RUBBER ON NYLON	600			04, 09, 48, 60, 57		4LNR80JB##**YY		
DURA-CUSHION™	450			04, 09, 63		X, Z	4LBC80J+##**YY	
ECO-RUBBER	450			53, P3			4LSN80JC##**YY	
RUBBER ON ALUMINUM	600			04, 09, 48, 60, 57			4LRA80JB##**YY	
MOLD-ON RUBBER	600			04, 09, 48, 60, 57			4LRS80JB##**YY	
SUPREME RUBBER	800			63, 73			4LRH80JS##**YY	
THERMO-PRO™	600			04, 09, 60, 63, 48, 57		A, I, T, X, Y, Z,	4LTP80J+##**YY	
POLYOLEFIN	900			04, 09, 60, 53, P3, 48, 57, 90		B, E	4LPO80J+##**YY	
NYLON	1100			04, 09, 60, 48, 57			4LNY80JE##**YY	
IRONMAN	1500			65, 73			4LNX80JB##**YY	
ROKHARD™	1100			04, 09, 48, 60, 57			4LHI80JB##**YY	
BRIMSTONE®	1200			04, 09, 60, 90			4LGN80JQ##**YY	
EPOXY	1200			04, 09, 90			4LOV80JQ##**YY	
MAXROK™	1400			04, 09, 48, 60, 57			4LMA80JB##**YY	
PHENOLIC	1250			04, 09, 60, 57			4LPH80JB##**YY	
HIGH-TEMP PHENOLIC	1100			04, 09, 60, 90			4LHT80JQ##**YY	
POLY MAXROK™	1250			04, 09, 48, 60, 57		G, K	4LMU80J+##**YY	
POLYON AL™	1500			04, 09, 48, 60, 57		N, R	4LPA80J+##**YY	
DW-BLACK	750						4LDW80JLT3**YY	
DW-RED	1100						4LDW80JRT3**YY	
DW-BLUE	1500						4LDW80JBT3**YY	
DW-GRAY	1500						4LDW80JGT3**YY	
POLY-PRO™	800			04, 09, 48, 60, 63, 57		C, D, I, K, M, U, W	4LPP80J+##**YY	
	1000						4LPP80JP49**YY	
POLYMADIC™	1000			04, 09, 48, 60, 63, 57		I, M	4LPM80J+##**YY	
POLYON™	1400				04, 09, 60	G, V	4LPU80JV63**YY	
ENERGY SAVER POLYON™	1500				04, 09, 60		4LSW80JU##**YY	
POLYFLEXON™ CAST	1000						4LRP80JK63**YY	
POLYFLEXON™	1000					N, O	4LUA80J+64**YY	
D-POLYON	1000						4LUD80JL64**YY	
CHAMPION	1500						4LCP80JN64**YY	
ULTRAFLEX™	800						4LUX80J064**YY	
DURALASTOMER™	1000				09, 60, 63, 57		4LSU80JL##**YY	
SUPER ELASTOMER	1440						4LEE80J160**YY	
ERGOLASTOMER™	1500				04, 09, 73, 64, 57		4LHU80JI##**YY	
SEMI-STEEL	1400				04, 09		4LSS80JS##**YY	
HEAVY DUTY IRON	1500				04, 09, 63		4LHS80JS##**YY	
DUCTILE	1500				04, 09, 63, 73, B1, B5		4LDS80JR##**YY	
ENERGY SAVER DUCTILE™	1500				04, 09, B1, B5		4LCD80JR##**YY	
FORGED STEEL	1500				04, 09, 73, 63, B5, B1		4LFS80JS##**YY	
IRON V-GROOVE	1200				04, 09		4LVG80JT##**YY	